CURRICULUM VITAE

Name : Mohamed Adel Abd Al Monem

Mob : 00201023154710/01128987759 Egypt),
 Gmail: moh1234moh1234567890@gmail.com



Personal Profile

Date of birth : 15/01/1989

Nationality : Egypt
Religion : Muslim
Sex : Male
Marital Status : Married

Languages : Arabic, English,

EDUCATION

• Diploma

Work Experience

- Two Years Worked Experience as Welder in Orascom Egypt
- One and Half Year Experience as Welder in BSB Egyp
- Three Years Worked Experience as Welder in Kahromeka Egypt
- One Year Worked Experience as Welder in Mitsubishi Egypt
- Two Years Worked Experience as Welder in Aresco Sudan
- Petrojet Company Assiut Petroleum Site
- Al Krum Company General Electric Power Station
- Working as Welder in Qatar Steel Qatar
- Working in petroleum pipe lines company Egypt
- Working in PetroJet Pipe Line Company -Egypt
- Working in Misr Gas Company Egypt



ARAB REPUBLIC OF



ंत्रक्रीक्टांच्युक्टरू संस्थान





رام الجراز/ Passport No رمزاليلة/ Passport No الدوع/ Passport No المراز Passport No I P

MOHAMED ADEL ABDELMONEM HAMED

Date Of Birth Place Of Birth القاهرة 15/01/1989 CAIRO أ المباد القاهرة المباد القاهرة المباد القاهرة المباد القاهرة المباد القاهرة 15/03/2016 04/03/2023 ۲۰۲۳/۰۳/۰۴ ۲۰۱۱/۰۳/۰۴

\$ 103/2010 04/03/2023 1.17/.7/.2 1.17/.7/.0 \$ 109 البو از ١٠ البرقم القوسي: ٢٨٩٠١١٥٠١٠٤٥٧٥

Profession: WELDER

الموقف التجنيدي: غور مطلوب العبران: في مسعد المسادق التبون

الوظيفة / المهنة : لحام كهرباء

Company con		OF WELDER QUALI	- CHECK	N IESI	0		Date: 02-10-201	7	
Company: ERC Contractor: GS E&C	Porject Title : ERC Refin		-arrigi				CC lab No Swa		
Welder Name : MOHAME	Specification : ASME SE	C IX &7T04-CS-00-TS-003					GS Job No. : 7704		
WPS No: GS-WPS-P1-							Stamp No.: GS -:	708	
	lified for following range:	AND AND AND ADDRESS OF THE PARTY OF THE PART	1877			The Part Lab	Date of Test: 26,	/09/2017	
Variable	inted for following range:					THE PERSON			
Welding Process (es) (QW-350)	Actual Values SMAW		-	ification Re	inge		-	
Backing (Metal, Weld N		garages management to	SMAW					CONTRACT OF	
		SMAW - With Backing	SMAW - With Backing						
Material Spec. (QW-40	13)	P1		P1 TI	rough P15				
hickness		(A106 Gr.B)					1070		
roove		10.07							
illet		10.97 mm N/A		N/A					
Nameter (QW-403,16)		1410		N/A					
roove		6" MDC		- committee					
THE PARTY NAMED IN COLUMN TO THE PARTY NAMED		6" NPS N/A			NPS (73 m	m OD) to Un	imited		
iller Metal (QW-404)		1843	100	All					
No.		E.A (Might headless)		1927-247-4	WWW.	OALVSSIE:			
(E7018-1 H4R)				F-1 to	4 (With ba	cking)			
	hickness (QW-404.30)								
roove llet		6.97 mm	Up to 13.94 mm						
AND DESCRIPTION OF THE PARTY OF		N/A		All	essentia de				
onsumable Insert		No		No					
ller Metal Product Forn	CONTRACTOR OF THE PARTY OF THE	N/A	N/A						
osition Qualified (QW-4	105)	<u>6G</u>	118	All Po	sitions				
eld Progression		Up Hill	-	Up Hill	Only		- 19 mg	The same of	
os Type (QW-408)		- C. V C.		SP CIII	2 Only			let be drop	
cking Gas		N/A		N/A					
ectric Characteristics (C	(W-409.4)			MA			03		
rrent	direction.	DC		DC					
larity		Reverse Polarity (EP)		Reven	e Polarity (EP)			
ual Examination Resul	t (QW - 302) : Acceptable	, /	Pe	olongation	for Annual	(bo say		2000	
more bla a farme oc a	PN-RT.GS-WQT-ND-0780						for the following	6 Month	
	QW462.2(a), QW462.3(a),	QW462(b)- N/A	Date 5	ignature	Position	RT Report N	o. Contractor	Company/TPI	
ided Bend Test Result (-		1		
ided Bend Test Result (Terre	2 2 2 2						
ided Bend Test Result (port No. : —) ided Bend Test Results		Result			2. 10.			The same of the sa	
ided Bend Test Result (port No. : —) ided Bend Test Results e / Face Bend -		N/A							
ided Bend Test Result (port No.: —) ided Bend Test Results e / Face Bend - cro Examination -		N/A N/A							
ided Bend Test Result (port No.: —) ided Bend Test Results be / Face Bend - cro Examination - liographic Test Result	(QW-304 & QW-305): Ac	N/A N/A							
ided Bend Test Result (report No.: —) ided Bend Test Results e / Face Bend - cro Examination - dlographic Test Result (ports No: (7704-CS-AP)	(QW-304 & QW-305): Act	N/A N/A septable 1002)							
ided Bend Test Result (report No.: —) ided Bend Test Results e / Face Bend - cro Examination - diographic Test Result ports No: (7704-CS-AP) et Weld Test Results (So	(QW-304 & QW-305): Acc N-RT. ELSLAM-WQT-ND-0 te QW-462.4(a), QW-462.	N/A N/A N/A ceptable 10002)							
ided Bend Test Result (report No.: —) ided Bend Test Results e / Face Bend - cro Examination - diographic Test Result ports No: (7704-CS-AP) et Weld Test Results (So	(QW-304 & QW-305): Acc N-RT. ELSLAM-WQT-ND-0 te QW-462.4(a), QW-462.	N/A N/A ceptable 0002) 4(b)) - N/A of any crack or tearing of spe							
ided Bend Test Result (port No.: —) ided Bend Test Results e / Face Bend - cro Examination - flographic Test Result (ports No: (7704-CS-AP) et Weld Test Results (Socture Test (Describe th	(QW-304 & QW-305): Acc N-RT.ELSLAM-WQT-ND-0 re QW-462.4(a), QW-462. e location, nature & size	N/A N/A ceptable 0002) 4(b)) - N/A of any crack or tearing of spe	/A						
ided Bend Test Result (port No.: —) ided Bend Test Results e / Face Bend - cro Examination - liographic Test Result (ports No: (7704-CS-AP) et Weld Test Results (Socture Test (Describe the	(QW-304 & QW-305): Acc N-RT.ELSLAM-WQT-ND-0 ee QW-462.4(a), QW-462. e location, nature & size ects	N/A N/A ceptable 0002) 4(b)) - N/A of any crack or tearing of spe	% · Macro To	est-Fusion					
ided Bend Test Result (port No.: —) ded Bend Test Results e / Face Bend - cro Examination - flographic Test Result (ports No: (7704-CS-AP) et Weld Test Results (So cture Test (Describe the gth and Percent of Defe earance - Fillet Size (le	(QW-304 & QW-305): Acc N-RT.ELSLAM-WQT-ND-0 te QW-462.4(a), QW-462. e location, nature & size ects	N/A N/A ceptable 0002) 4(b)) - N/A of any crack or tearing of spe N/A N/A mm : Convex	%; Macro To	A mm o	Concadh	N/A -	The state of the s		
ided Bend Test Result (port No.: —) ided Bend Test Results e / Face Bend - cro Examination - flographic Test Result (ports No: (7704-CS-AP) et Weld Test Results (So cture Test (Describe th	(QW-304 & QW-305): Acc N-RT.ELSLAM-WQT-ND-0 te QW-462.4(a), QW-462. e location, nature & size ects	N/A N/A ceptable 0002) 4(b)) - N/A of any crack or tearing of spe	%; Macro To	A mm o	Concadh	N/A -	The state of the s	IX & 7T04-CS-00	
ded Bend Test Result (port No.: —) ded Bend Test Results e / Face Bend - cro Examination - llographic Test Result (ports No: (7T04-CS-AP) et Weld Test Results (So cture Test (Describe th gth and Percent of Defe earance - Fillet Size (le	(QW-304 & QW-305): Acc N-RT.ELSLAM-WQT-ND-0 te QW-462.4(a), QW-462. e location, nature & size ects	N/A N/A ceptable 0002) 4(b)) - N/A of any crack or tearing of spe N N/A N/A mm ; Convex correct and the coupons were	%; Macro To	A mm o	Concadh	N/A -	The state of the s	IX & 7T04-CS-00	
ided Bend Test Result (port No.: ——) ided Bend Test Results e / Face Bend - cro Examination - llographic Test Result (ports No: (7T04-CS-API et Weld Test Results (So cture Test (Describe th gth and Percent of Defi earance - Fillet Size (le certify that the statem 03	(QW-304 & QW-305): Acc N-RT.ELSLAM-WQT-ND-0 te QW-462.4(a), QW-462. e location, nature & size ects	N/A N/A N/A ceptable 0002) 4(b)) - N/A of any crack or tearing of spe N N/A N/A mm; Convex correct and the coupons were	%; Macro To	A mm o	Concadh	N/Am er requireme	The state of the s		
ided Bend Test Result (port No.: —) ided Bend Test Results e / Face Bend - cro Examination - fliographic Test Result (ports No: (7704-CS-AP) et Weld Test Results (So cture Test (Describe th gth and Percent of Defi earance - Fillet Size (le certify that the statem 03	(QW-304 & QW-305): Acc N-RT.ELSLAM-WQT-ND-0 te QW-462.4(a), QW-462. e location, nature & size ects	N/A N/A N/A ceptable 0002) 4(b)) - N/A of any crack or tearing of spe N/A N/A N/A Orrect and the coupons were GS E & C Mostafa Kamel	%; Macro To	A mm o	Concadh	N/Am er requireme	m nts of ASME SEC		
ided Bend Test Result (port No.: —) ded Bend Test Results e / Face Bend - cro Examination - flographic Test Result (ports No: (7704-CS-AP) et Weld Test Results (So cture Test (Describe the gth and Percent of Defe earance - Fillet Size (le	(QW-304 & QW-305): Acc N-RT.ELSLAM-WQT-ND-0 te QW-462.4(a), QW-462. e location, nature & size ects	N/A N/A N/A ceptable 0002) 4(b)) - N/A of any crack or tearing of spe N N/A N/A mm; Convex correct and the coupons were	%; Macro To	A mm o	Concadh	N/Am er requireme	nts of ASME SEC		

W 10

SIEMENS

PROJECT CONSORTIUM 2015_21 BENI SUEF CCPP

ELSEWEDY ELECTRIC

PSP

WELDER PERFORMANCE QUALIFICATION RECORD (WPQ) (AS PER ASME SEC. IX)

PROJECT: BENG SUCE C	OMBINED CYCLE POWER PLAN	1	PROJECT No.:	1929		
OWNER: UPPER EGYPT	ELECTRICITY PRODUCTION CO	MPANY	CERTIFICATE No.	PSC-024-014		
CONTRACTOR : ELSEW	EDY ELECTRIC - PSP					
MOHAMED A	DEL ABDEL MONEIN	A Test Description			V A S	
WELDER'S NAME WPS No: PSC-WPS-BEN-0	m Ber No. 0	Identification No.: PSC-024	STAMP No.: PSC-024 Test Bate: 02/05/2016			
Test Coopen	2 14.14.0		Production Weld			
Specification of base met	aki): SAS16 O/70	_	Thickness: 20 mm			
and the fact and the second or the second		Testing Conditions and Qua	lification Limits			
Welding Variables(QW-350))	Actual	Values		Range Qualified	
Welding Process		SM	AW		SMAW	
Type (i.e. Manual or Semi	-Auto)	Ma	nue)		Manual	
Backing (Metal, Weld Metal	, Double-Welded)	Weld	Metal		Weld Metal	
■ Plate □ Pipo		Pie	ite		Plate & pipe ≥2 %"	
Base metal P- or S-Number to To P- or S-Number		y	1	P-I throu	igh P-15F,P-24,P-41 (heough P-49	
Filler metal or electrode Specification(1) SFA		3.	1	11 130 00000		
Filler metal or electrode Clas	nification(s) SFA	E7	016			
Filler metal F- Number(s)		F4 with	backing		F1,2,3,4 with backing	
Consumable insert (GTAW or PAW)		N	Α		N/A	
Filter type (Solid/metal or flex	com@powden) (GTAW or PAW)	N/A			N/A	
Deposited Metal Thickness		20 mm			Max. to be welded	
Position Qualified		6G		(All) PlantsPic	e>24",(F,H) 2 7/8"SPipes24",(Alt) File	
Vertical Progression(Uphill o	er Down hill)	Uphitl			Uphill	
Type of fuel gas(OFW)		N/A			N/A	
Inert gas Backing (GTAW,PA	(W,GMAW)	N/A		in the second	N/A	
Transfer mode (Spanyiglobah	er or pulse to short circuit-GMAW)	N/A			N/A	
GTAW current type/polarity(AC,DCEP,DCEN)	N/	Α		N/A	
		RESULTS				
Visual Examination of Comp	leted Weld(QW-302.4). Satisfector	per Visual Report No. VT 005				
		Guided Bend Test (QW-4	62.3 = & b)			
Type	Result		Турс		Result	
none	none		none	-	none	
none	sone	in and the second second	nonc		bone	
Alternate Radiographic exam	instion results(QW 191): Satisfacts	or per RT Report No. WOT002			-	
Fillet weld-Fracture test(QW-	180) N/A	Longth and p	ercent of defects			
Macro examination(QW-184)	N'A Fillet size	N/A Concevity	Convexity: Satisfactory			
Film or Specimens evaluated	by: Ahmed Hamdy	Company: \$	NOMA T	C	opy	
Mechanical tests Conducted b	y N/A	Laboratory to	st ne : N/A			
Welding Supervised by: Alide						
	in this record are correct and that t	he test coupons were prepared, v	velded and tested in accords	soc with the requir	remeses of	
Section IX of the ASME Both	er & Pressure vessel code					
DETAILS	SUBCONTRACTOR	PSP QC	SIEMENS (IF	(lequired)	OWNER (If Required)	
Name	A. Ashour	Mohamed Ghot	,		The state of the s	
Designation 3	BE OC	Willen				
Signature	00	War all				
· · · · · · · · · · · · · · · · · · ·	Wet bold	11:05.100				
Date	11173-1-10		l			



WELDER PERFORMANCE QUALIFICATION

According To ASME Code Section IX

Certificate No.

EME / P-319/A

Issue Date

10/1/2018

WPS No.

EME-WPS-002

WPS Rev.

00

Welder Name MOHAMED ADEL ABDEL MONEIM

Stamp No.

P-319



QW	VARIABLES		ACTUAL VALUES		QUALIFIED VALUES
153 : 356	(O) Welding Process	1	SMAW	1	SMAW
402.4	(-) Backing	1	With	1	With
403.16	Pipe outside diameter	1	6-	1	O = 27/8"NPS(OD73mm) Upto Ø = Unlimited
403.18	P-No. to P-No.	1	P-No.1	1	P No 1: P No 15F; P No 34; P No 41: P No 49
404,14	(±) Filler: (GTAW)	1	None	1	None
404.15	F-No.	1	F-No 4	1	F-No 1,2,3,4
404.22	(±) inserts: (GTAW)	1	N/A	1	N/A
404.23	Product form: (GTAW)	1	Electrode	1	N/A
404.30	(t) deposited/(3Layers Min.)	1	16 mm	1	Unlimited
404.32	(t) Limit S.C: (GMAW)	1	N/A	1	N/A
465.1	(+) Position	1	66	1	ALL
405.3	(O) Proggression	1	Uphill	1	Uphill
408.8	(·) Inert Backing	1	Without	1	Without
409.2	Transfer mode: (GMAW)	1	N/A	1	N/A
409,4	(O) Current type/polarity	1	DC / EP	1	DC / EP

(QW-304) Radiographic test

Report No.

EME-WQT-RT-242

Result : Accept

Prolongation for approval by the amployer for the following six months:

(QW-182) Fillet Weld-Fracture Test Report No

Report No:

(QW-302.4) Visual examination

Report No.

EME-WQT-VT-155

Result : Accept

(QW-160) Guided bend test

None

R.T.Hope No.

(QW-183) Macro Examination

Report No Report No.

Date:

8/1/2018

Mech. Test coducted by

NDT conducted by

Massa NA

Date:

WE CERTIFY THAT THE STATEMENTS IN THIS RECORD ARE CORRECT AND THAT THE TEST COUPONS WERE PREPARED, WELDED AND TESTED IN ACCORDANCE WITH THE REQUIREMENTS OF SECTION IN OF THE ASME CODE

ssued by : QC/ EME

Approved by

Reviewed by:

Welding Engineer

Title: EME QCM

Title: OC Team Leader

1205

Name:

Name : Shady Ezzata

Sign.:



WELDER QUALIFICATION TESTS Title: Southing spherical tanks Specification: ASME SEC IX



Company Petrogas

Welder Name: MOHAMED ADEL ABDEL MONEIM

WPS No: B5-104-10F STAMP NO: M49

Variable	Actual Values	Qualification Range
Welding Process (es) (QW-356)	SMAW	SMAW
Process Type (Manual, Semi Auto	Manual	Manual -
Backing (Metal, Weld Metal ect.) (QW-402.4)	with backing	with backing/gouging
PLATE	PLATE	(Groove :plate),(fillet any)
Material Spec. (QW-403	P-NO. (01) To P-NO. (01)	P-NO. (01) To P-NO. (15F),P-NO.34 , P-NO. (41) THROUGH P-NO. (49)
Thickness	39 mm	groove up to max size , fillet all
Groove Fillet	BAV	B.W - F.W
	N/A	N/A
Diameter (QW-403.16) Groove	N/A	
Fillet	N/A	N/A
Filler Metal (QW-404)	3/6	N/A
P. No.	E8018(F4)	F1,F2,F3,F4
Position Qualified (QW-105)	20130	Plate:1G.2G.3G.4G (FILLET: ALL)
Weld Progressio	Uphill	The state of the s
Electric Characteristics (QW-409.4)		Uphill
Current	DC	Any
Polarity	E.P	Any

Visual Examination Result (QW - 302) Accept

Report No.: 03

Guided Bend Test Result QW - 462.2 (a), QW 462.3(a), QW 462 (b)

Guided Bend Test Results

Side / Face Bend - ' N/A

Macro Examination - N/A

Radiographic Test Result (QW-304 QW-305)

Radiographic Result Accept Reports No: 03

Fillet Weld Test Results (See (IW - 462.4(a), QW - 462.4(b)) - N/A

We certify that the statements in this record are correct and the coupons were prapared, welded and tested as per requirements of ASME SEC IX

Signature:	PTJ	PETROGAS
Name:	less of all	' Tantous
Designation:	CWI 14078161	luit -
Date:	18 11/115	



EL TEBBIN THREMAL POWER PLANT 2X350 MW - UNIT (1) - CP 124

OWNER: CAIRO ELECTRICITY PRODUCTION COMPANY

OWNER REPRESENTITIVE: POWER GENERATION AND SERVICES COMPANY (PGESCO)

CONTRACTOR: POWER SYSTEM PROJECTS (FSP)

WELDER QUALIFICATION TEST CERTIFICATE

Welder's Name: MOHAMED ADEL ABDELMONEM

Indentification No.: WR032

Test Description

Ref. WPS No : PSP-WPS-002 Date Of Testing:

29/11/2014

Ref. PQR No

:PSP-PQR-002

Base Metal(s) :

ASTM A 106 Gr. B

Testing Conditions and Qualification Limits

	Range Qualified	
SMAW	SMAW	
, MANUAL	MANUAL	
WITH	WITH	
Pipe 6*	73MM AND OVER	
P1 TO P1	P1 THROUGH P15F	
SFA 5.1		
E7018		
4	1 TO 4	
N/A	N/A	
N/A	N/A	
6mm	UP TO 12mm	
6G	ALL	
UPHILL	UPHILL	
N/A	N/A	
N/A	N/A	
N/A	N/A	
DCEP	DCEP	
	, MANUAL WITH Pipe 6" P1 TO P1 SFA 5.1 E7018 4 N/A N/A 6mm 6G UPHILL N/A N/A N/A	

_	_	_	-	_	_
	-	•		в.	тс
-		•	u	_	

1. Visual Test	:Satisfactory			
2. Destructive Test		NA JOSEPH CONTRACTOR	00-020V	
a) Root Bend Test	:NA	e) Tensile Test	:NA	
b) Face Bend Test	:NA	f) Fillet Weld Test /Size		
c) Side Bend Test	:NA	Facture test	:NA	
d) Impact test	:NA	Macro test	:NA	
3. Non Destructive Test	120	4.45 MAN (1985)		
a) DP test	: NA	 c) Ultrasonic test 	:NA	
b) Radiography Test	: ACCEPT (Report No	o. RT-002)		

4. Other tests

:NA

We certify that the statements in this record are correct and that the test coupons were prepared, welded, and tested in accordance with the requirements of Section IX of the ASME Boiler and Pressure Vessel Code

Organized By:

Approved By:



Orascom

WELDER'S FERFORMANCE **QUALIFICATION RECORD** ASME IX

EGIT

Client

: ORASCOM Construction, industries BE SIX

Project

Sidi Krir POWER STATION

Date Of Issue

: 16/05/2008

Welder's Name

: MOHAMED ADEL ABD ELONEM

Welding Process(es) used: SMAW

Stamp

: MANUAL

Base material(s) welded : Carbon Steel		Thickness: 10 mm
Manual or seminutomatic variables for each process : Manual	Actual Values	Range Qualified
Backing (metal, welded from both sides, flux)	With out With out ASTM Carbon Steel ASTM Carbon 10 mm 4.76mm to 22	
and the second s		
Material Specification		
Plate Pipe (Groove or Fitlet)	N/A	N/A
Plate Pipe (Groove or Fillet) Filler metal specification (SFA) Classification	E6010&E7018	E6010&E7018
filler incest spectification (45.74)	6G	6G
Welding position	(Uphill)	(Uphill)
Progression (Uphill / Downhill)	N/A	N/A
Backing gas for SMAW GMAW transfer mode	N/A	N/A
SMAW welding current type / polarity	DC-EP	OC-EP
Machine welding variable for the process used	Actual Values	Range Qualified
Direct / remote control	Direct	Direct & Remote
Automatic voltage course (SMAW)		NIA
The state of the Control of the Cont	N/A	N/A
Automatic joint tracking	N/A	N/A
Consumable insert Backing (metal, weld metal, welded from both sided, flux, etc.)	N/A	N/A

Guided bend test results

Guided bend tests type:

N/A

Visual Examination Result:

ACCEPTABLE

Radiographic test results:

ACCEPTABLE Report No. RY -WQT-OCI-05

(for alternative qualification of groove welds by radiography) Length and percent of defects

Fillet weld - Fracture test

N/A Fillet leg size

in concavity / convexity

NVA Macro test fusion

Welding test conducted by EGIT, OCI BE SIX CO.

Mechanical tests conducted by N/A. Laboratory test no. N/A

We certify that the statements in this record are cordage correct and that test coupon was prepared.

We define that the statements in this record are covering correct and that less coupon was prepared.

Welded and tested in accordance with the requirements of ASME IX. Code.

This record is valid for six months and could be extended for another six months by EGIT, OCI BE -SIX CO. in case of the provided welder has been engaged in type of welding covered by this record.

Validity extended to SCINEERING GROUP FOR Signature Approved by Date: -4 12 11 Date: 16/05/2008



Petroleum Pipelines Company PPC

QA / QC Sector

Welder Qualification Test Certificate

Client: P.P.C



محدد عقل عبد المتعم هامد : Welder Name

Code & Specification : ASME 9 / API 1104

Position: 5G & 6G

Material Specification: A283 Gr.C

Thickness Range Qualified: 4.8≤T≤ 19.1mm

Filler metal Group no. 1

Filler metal specification According To AWS A5.1 & A5.5

Trade Name: E 6010 for root &E 7010 for filling and cap

Place of test : MOSTORD

Test Date: 1/2/2019

Test Results: Satisfactory

PPC : QA/QC



WELDER PREFORMANCE QUALIFICATION(WPQ) Welder ID. M39 ASME IX Yes Certificate No.: WPQ/01 -3 Layers AWS D1.1 No Issue Date. Min. 01/02/2022 Test Coupon: Process. **SMAW** Production Pipe Type. Weld Manual TAK_D15 -Test Plate WPS No. : Coupons

Welder Name	Mohamod	Adel Abd Elmnaam.				2022
		Adei Abd Elmnaam.			Test (Coupon
Visual Examinat		Report No. VT-003	Result:	ACC	Pipe	
RT Report No.:		Report No. WPQ 039	Result:	ACC		7.44
Filet Weld-facto	or:	None	riesure.	ACC	INICK	. 7.11 mm
		None			Dia. 6	5"



	QUALIFICATION LIMITS			
Variables	Actual Values	Qualified Values		
Welding Process	SMAW	SMAW		
Type	Manual	Manual		
Material Specification	API51 GR. B / P-No.1	ALLP-No. 1 to P-No.15F P-No. 34 and P- No. 41 through P-No. 49		
Filler Metal Class	E6010 &E7018	110. 42 through P-140. 49		
F-No	F-No 3	F-No. 1, 2, 3 & 4 With Backing F-No. 3 Without Backing		
Filler Metal Specification	A 5.1			
Deposited	7.11 mm	14.22 mm		
Position	5G	Flat , Vertical ,and overhead Positions		
Progression	UPhill	UPhill		
Insert Backing	Without	With / Without		
Current type/Polarity	DCEP	DCEP		
Single or Multi. Electrode	Single	Single		

NDT Conduced By:	Horas for Petroleum Service	Date:	01/02/2022
Mech. Test Conduce :	N/A	Date	N/A

We certify that the Statements in this Record are correct and that the test Coupons were prepared welded, and tested in accordance with ASME IX Welding and Brazing Qualifications.

Certified By Horas Welding Engineer

Amr Galaal Mahmoud Amer
17043631

Renewal Date	01/02/2022 1704363 01/92/2023	01/02/202 JUM SERVICES 01/02/202
Sign	ANTON	FORPETT
Stamp	Ar. Gal	





WELDER QUALIFICATION CERTIFICATE

PROJECT NAME	MA	ZOT ELTIBEEN-ALSOKHN	IA 24" P/L	100
WELDER I D. No.		M 82		1 2
WELDER NAME		MOHAMED ADEL		
CODE & SPECIFICATIONS		API 1104		Y
WPS No.		: P02 Tie-Ins & Repair		
POSITION	5G	FILLING+CAP I	DOWN HILL	1
MATERIAL SPECIFICATION	AP	I 5L - X52		
DIAMETER	16°	WALL THICKNES	_11:12 mm	
THICKNESS RANGE QUALIFIED		(4.8 mm to 19.05	mm)	21
DIAMETER RANGE QUALIFIED _		≥ 12°.75		-:
SFA No.		A 5.1 & A5.5		
AWS CLASSIFICATION		E60108 E7010		27
FILLER METAL GROUP NO		F3		
PLACE OF TEST		PROJECT WORKSHOP		
VALID UNTIL		END OF THE PROJECT		
	TI	EST RESULTS		
1 VISUAL TEST	Acc			
2 RADIOGRAPHIC TEST	Acc			
3 DESTRUCTIVE TEST	N/A	_		
NAME / TO PO PULL / OF SIGN MANUAL MA	ic abdelaz	BION MOKA	PPC GA/QC ENG med salah salah	abdalin



WELDER PREFORMANCE QUALIFICATION(WPQ) M39 ASME IX

Welder ID. Certificate No.: Issue Date.

WPQ/01 01/02/2022 **SMAW** Production Weld

-3 Layers **AWS D1.1** Min. Test Coupon:

No

Pipe /

Process. Type.

Manual

WPS No. : 2022 Test Coupon

TAK D15 -Test Coupons. Plate

Welder Name: Mohamed Adel Abd Elmnaam. **Visual Examination:** Report No. VT-003 Result: ACC Pipe RT Report No.: Report No. WPQ 039 Result: ACC Filet Weld-factor: None

Thick. 7.11 mm Dia. 6"



	QUALIFICATION LIMITS		
Variables	Actual Values	Qualified Values	
Welding Process	SMAW	SMAW Manual	
Type	Manual		
Material Specification	API51 GR. B / P-No.1	ALLP-No. 1 to P-No.15F P-No. 34 and P- No. 41 through P-No. 49	
Filler Metal Class	E6010 &E7018	110. 41 till Odgil F-140. 49	
F-No	F-No 3	F-No. 1, 2, 3 & 4 With Backing	
Filler Metal Specification	A 5.1	F-No. 3 Without Backing	
Deposited	7.11 mm	14.22 mm	
Position	5G	Flat , Vertical ,and overhead Positions	
Progression	UPhill	UPhill	
Insert Backing	Without	With / Without	
Current type/Polarity	DCEP	DCEP	
Single or Multi. Electrode	Single	Single	

NDT Conduced By: Horas for Petroleum Service Mech. Test Conduce: N/A

Date: 01/02/2022


Date N/A

We certify that the Statements in this Record are correct and that the test Coupons were prepared welded, and tested in accordance with ASME IX Welding and Brazing Qualifications.

Certified By Horas Welding Engineer

Amr Galaal Mahmoud Amer 17043631

tel Mahmoud Amer 01/02/2022 1704363 01/02/2023 Renewal Date 01/02/2023 Sign Stamp







Welding Examination Consulting Office

Welder / Welding Operator Certificate Performance Qualification Record According to ASME IX

Revision: (0) Sheet: (1) of (2)

Company : IPSG


Welder Name: MOHAMED ADEL ABDELMONEAM

Welder Stamp : M25

Issued Date : 25/10/2015

JOINT PREPARATION





Using WPS No. AFC/DCN/001,002			
The above welder is qualified for following ranges variable.	Record actual values Used in qualification	Qualification Range	
Process	SMAW	SMAW	
Process Type	MANUAL	MANUAL	
Baking metal .	WITHOUT	WITHOUT	
Material Spec. (QW-403)	API. 5L GR.BA53	PI TO PII	
Thickness	11 mm	2T	
Groove	GROOVE	GROOVE	
Fillet	N/A	N/A	
Plate or Pipe	PIPE	PIPE	
Diameter	12"	(27/8 TO UNLIMITED)	
Position (QW-405)	6GR	F,V.O /ALL FILLET	
Weld Progress	UP HILL	UP HILL	
FILLER	MATERIAL (QW-404)		
SFA	SFA 5.1	SFA 5.1	
Class	E6010/E7018	E6010/E7018	
No.	3/4	3/4	
Gas Type (QW-408)	N/A	N/A	
ize of filler metal (mm)	3.25 mm/4mm	3.25 mm/4mm	
ELECTRICAL CH	HARACTERISTICS (QW-40	9)	
urrent	D.C	D.C	
olarity	E.P	E.P	
mps WECO (4) oltage Octyces	90-120/120-160	90- 120/120-160	
oltage Rervices	22:24V	22:24V	

جمهورية مصر العربية وزارة التجارة والسناعة مصلحة الكفاية الإنتلجية والتدريب المهنى دبلوم التلمذة الصناعية تشهد وزارة التجارة والصناعة بأن السيد/ محمد عادل عبد المنعم ح معاظة القاهرة الرقم القومي ٥٧٥ء٠١٠٥١٠ قد نجح في امتحان دبلوم التلمذة الصناعية شعبة الحام وتشكول معاديا ((جيد)) جنوب القاهرة وهي معادلة لشهادة دبلوم المدارس الصناعية ومناظرة لها يجمهورية مصر العربية وذلك طبقاً للقرار السوزاري للتربية والتعليم رقم ٧ ٩ الصادر في ١١/ ١/ ١٨ ١٩ ١٩

رنيس المصلحة

المدير العام

جبدان جي عيد الله سليمان محمد تعريراً شوال ١٤٢٩ نوفمبر ٢٠٠٨